

	revisions						
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED		
1	15-0004	UPDATED TO NEW DRAFTING STANDARDS1 CH'D DIM WAS 2.00 IS (2.00). DELETED DIMS .76, 1.83, 2X .54 X 45. CH'D HANDLE FORMING NOTE3 CH'D MAT'L WAS 1018 IS HR P&O5 CH'D DIM WAS 2.00 IS 2.12. ADDED DIM (1.31).	1/14/2015	DPD	JAG		





NOTE: REF: EUROCOPTER T/N: 332A93-3501-00. REF: OLD RB T/N: RBEA93-3501-00

ASSY QTY	ASSY QTY	B/O	Part #	UNIT	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.	TITLE
	Χ		-1	1	WELDMENT			2	ΪĞΒ
	1		-3		BASE	HR P&O		3	DWG NO.
	1		-5		HANDLE	CARBON STEEL			J. 10 110.
	3		-7		STANDOFF	CARBON STEEL		5	MAT'L
	3		-9		STANDOFF	CARBON STEEL		6	UNL
		B/O	-11	3	BOLT	STEEL	M10 X 1.5 X 25, CLASS 8.8 (MCMASTER-CARR #91280A630)	1	. ± xxx.
		B/O	-13	3	BOLT	STEEL	M10 X 1.5 X 35, CLASS 8.8 (MCMASTER-CARR #91280A636)	1	.XX ± :
		B/O	-15	3	HEX NUT	STEEL	M10 X 1.5, CLASS 10 (MCMASTER-CARR #92497A450)	1	OR .015
		B/O	-17	3	WASHER	STEEL	M10, CLASS 4 (MCMASTER-CARR #91166A280)	1	2. DIMENS PLATIN
	ASSY -1								SCALE

IGB TGB FLANGED LOCKNUT TOOL

DWG NO. REV RBE332A93-3501-00

MAT'L DRAWN BY: UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
.XXX ± .005 FRACTIONS ± 1/8
.XX ± .01 ANGLES ±.5°
.X ± .1 SPECIFICATIONS ± 1/8
.


1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
2. DIMENSIONAL LIMITS APPLY AFTER PLATING


1:5


USED ON MODEL EUROCOPTER 4/14/2011 SHEET 1 OF 6


GILBERT

	revisions								
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED				
1	15-0004	-1 CH'D DIM WAS 2.00 IS (2.00). DELETED DIMS .76, 1.83, 2X .54 X 45. CH'D HANDLE FORMING NOTE.	1/27/2015	DPD	JAG				









NOTES:

- 1. USE ALIGNMENT PIN TO POSITION STANDOFFS FOR WELDING.
- 2 -5 HANDLE TO BE FORMED FLAT AS POSSIBLE TO EITHER SIDE OF -3 BASE, THEN WELDED AS DETAILED.



IGB TGB FLANGED LOCKNUT TOOL

DWG NO. RBE332A93-3501-00-1

REV GILBERT

MAT'L DRAWN BY: UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES

XXX ± .005
FRACTIONS + 4/8
FRACTIONS + 4/8 .XX ± .01 .X ± .1 ANGLES ±.5°

CAD PLATE YELLOW

1. BREAK ALL SHARP EDGES .015 x 45*
OR .015R

2. DIMENSIONAL LIMITS APPLY AFTER PLATING

USED ON MODEL


EUROCOPTER


SCALE 1:5


4/14/2011 SHEET 2 OF 6

WELDMENT

		REVISIONS			
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1	15-0004	-3 CH'D MAT'L WAS 1018 IS HR P&O.	1/7/2015	DPD	JAG







NOTE: ENGRAVE TOOL AS SHOWN, 1/8 ARIAL

ENGRAVE TABLE

1	TRANSMISSION
2	TGB BTI
3	TRGB BTA
4	RBE332A93-3501-00


-3


BASE

IGB TGB FLANGED LOCKNUT TOOL DWG NO. RBE332A93-3501-00-3 MAT'L HR P&O DRAWN BY: **GILBERT** SEE -1 WELDMENT 1. BREAK ALL SHARP EDGES .015 x 45° SPEC OR .015R USED ON MODEL 2. DIMENSIONAL LIMITS APPLY AFTER PLATING EUROCOPTER SCALE DATE 4/14/2011 SHEET 3 OF 6 1:3

	REVISIONS								
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED				
1	15-0004	-5 CH'D DIM WAS 2.00 IS 2.12. ADDED DIM (1.31).	1/27/2015	DPD	JAG				










-5)

HANDLE

		REVISIONS REVISIONS			
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED









STANDOFF



IGB TGB FLANGED LOCKNUT TOOL

DWG NO.

RBE332A93-3501-00-7

REV **GILBERT**

MAT'L CARBON STEEL DRAWN BY: UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 TREAT TREAT .XX ± .01 ANGLES ± .5° FRACTIONS ± .XX ± .1 SPEC.

1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
2. DIMENSIONAL LIMITS APPLY AFTER PLATING

SEE -1 WELDMENT USED ON MODEL


DATE 4/14/2011 SCALE 2:1


EUROCOPTER

SHEET 5 OF 6

		REVISIONS			
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED









STANDOFF

DART

IGB TGB FLANGED LOCKNUT TOOL

DWG NO. RBE332A93-3501-00-9

DRAWN BY: GII

GILBERT

D Weil

SEE -1 WELDMENT

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 TREAT TREA

1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
2. DIMENSIONAL LIMITS APPLY AFTER PLATING

USED ON MODEL EUROCOPTER

SCALE 2:1

MAT'L CARBON STEEL

DATE 4/14/2011

SHEET 6 OF 6